MOLTENI RÔTISSOIRE

YOUR ONE AND ONLY



MOLITEN



MOLTENI RÔTISSOIRE

The Molteni Rôtissoire brings the art of theatre cooking into your kitchen.

The horizontal or vertical spits in addition to the many available accessories make the preparation of vegetables, seafood and succulent meats purely delightful. Charm and elegance is displayed through its silent motor, enamelled finish, decorative brass fittings and cast-iron hearth with glowing fibers to guarantee the most uniform cooking.

No matter where it is placed, either wall mounted, on a stand or on your work top, its versatility will turn any meal into a premier dining and grilling experience.

2 Models available

Rôtissoire 425 & Rôtissoire 640 (see technical data at page 10)





ACCESSORIES **INCLUDED**IN THE RÔTISSOIRE 425 AND 640



VERTICAL SKEWERS **SQUARE SPIT**



Code 0M2690

Food Cockerel, legs, carrè, fish, vegetables

Production capacity 1

Dimensions 295 x 6 mm (hxw)

Made of rod with several holes in which a round iron pin can be inserted, this type of spit is used for racks (or diced meats, small poultry, etc)

HORIZONTAL SKEWERS FLAT SPIT



Code

OM2700 (Rôtissoire 425) OM2694 (Rôtissoire 640 Type A) OM2695 (Rôtissoire 640 Type B)

Food Meat, fish or vegetables skewers but the main use is for poultry

Production capacity

cod. 0M2700 - 2 chickens cod. 0M2694 - 4 chickens cod. 0M2695 - 6 chickens



Dimensions depending Rôtissoire model cod. 0M2700 - 700 x 20 x 8 mm (lxhxw) cod. 0M2694 -1030 x 25 x 12 mm (lxhxw) cod. 0M2695 -1510 x 25 x 12 mm (lxhxw)

Tip: the perfect way to serve a delicious duck is cooking it below the collection tray.

ADDITIONAL ACCESSORIES RÔTISSOIRE 425 AND 640



VERTICAL SKEWERS FOR SAUSAGES



Code 0M2687 **Food** Sausages

Production capacity 4

Dimensions 325 x 130 mm (hxw)

Is made of 2 series of superimposed double rings, shaped like crosses and placed on top of each other. Each series is composed of 2 double rings with the same diameter plus another one with a much smaller diameter

VERTICAL SKEWERS FOR EGGS



Code 0M2685

Food Eggs

Production capacity 6

Dimensions 305 x 170 mm (hxw)

Is made of 3 rings with a 50 mm diameter and 3 other rings with a slightly smaller diameter 45 mm. The first ring holds the egg and the second one prevents it from slipping down.

VERTICAL SKEWERS TURN STYLE WITH STOPPER





Code 0M2688

Food Small pieces of meat or fish, vegetables

Production capacity 1 per skewer

Dimensions 350 x 80 mm (hxw) *One spit is made of 4 skewers*

For "brochettes" 4 skewers are hung from a four-hooked turnstile

VERTICAL SKEWERS FOR TURBOT



Code 0M2686

Food Small plan fish as turbot

Production capacity 1

Dimensions 315 x 120 mm (hxw)

Made of flexible metal plates (strips) this basketlike spit is meant to hold the pieces of meat or fish which cannot be pierced

VERTICAL SKEWERS FOR LOBSTER



Code 0M2691

Food Lobster

Production capacity ${\bf 1}$

Dimensions 330 x 130 mm (hxw)

HORIZONTAL SKEWER STAR





Code

0M3061 -Rôtissoire 640 Type A 0M3062 - Rôtissoire 640 Type B

Food Big poultry pieces (i.e. American turkey, small pig) / In the small skewer: birds (pigeon, ortolan, quail)


Production capacity 6

Dimensions: depending on Rôtissoire model code 0M3061 - 1030 x 150 x 12 mm (lxhxw) code 0M3062 - 1510 x 150 x 12 mm (lxhxw)

Not available for 425 Rôtissoire

Star spit is mounted on the flat spit and its thin skewers (spits) are used for partridges, ortolans quails, etc as well as racks (or diced meats).

HORIZONTAL ACCESSORY FOR FISH



Code


oM2861 (Rôtissoire 425) oM3063 (Rôtissoire 640 Type A) oM3064 (Rôtissoire 640 Type B)

Food For many little fillet of fish or meat

Production capacity Depends on the size of the pieces

Dimensions depending Rôtissoire model code 0M2861 - 417 x 214 x 150 mm (lxhxw) code 0M3063 - 666 x 216 x 150 mm (lxhxw) code 0M3064 - 1146 x 216 x 150 mm (lxhxw)

HORIZONTAL SKEWERS CLAMP SKEWER



Code

OM1255 (Rôtissoire 425) OM1257 (Rôtissoire 640 Type A) OM1258 (Rôtissoire 640 Type B)

Food For big flat pieces of fish or meat

Production capacity Depends on the size of the pieces


Dimensions depending Rôtissoire model code 0M1255 - 677 x 200 x 150 mm (lxhxw) code 0M1257 - 992 x 220 x 150 mm (lxhxw) code 0M1258 - 1472 x 220 x 150 mm (lxhxw)

YOUR ONE AND ONLY



Selecting each individual artisan-crafted and expertly hand-finished fitting for your Molteni Rôtissoire is a question of going beyond functionality, towards a new state of understanding and appreciation.

Each Molteni tells its own story, and has its own soul. What will yours be? Select the suitable material according to your taste among the examples below for trims, knobs and chains.



TRIMS, KNOBS, PULLEY AND CHAINS







Chains. Only chromium.



Knob Pulley





Frames

Control knob

MOLTENI MATERIALS



Polished Brass



Brushed Brass



Polished Stainless Steel Brushed Stainless Steel





Polished Copper



Matte Copper

ENAMELLED TRADITIONAL MOLTENI COLORS



The Molteni palette has a gloss finish, a matte finish is available upon request. The enameling process is performed entirely by hand, slight uneveness is part of the beauty of artisan crafting and is a mark of the unique, bespoke character of each Molteni stove.



Scotch brite Stainless Steel AISI 304



ADDITIONAL MOLTENI COLORS







RÔTISSOIRE 425





Composition

1 hearth 480 x 360 mm with: 2 horizontal flat spits 2 vertical spits

Gas model

- Ribbed cast-iron hearth with ceramic fibre wicks
- · Steel ramp burner
- Pilot flight and safety thermocouple on all burners
- · Gas power: 7 kW
- Electric power: 0,1 kW
- Supply voltage
 EU countries: 230V/1N/50hz
 United States: 115V/1N/60hz

Technical characteristics

- Appliance to be installed on a piece of furniture or to be fixed to the wall
- · Stainless steel structure
- Finish: enamelled traditional Molteni Colors (Persian blue, Molteni rouge, Tarragon, Sepia, Milk, Matte milk, Black pepper, Matte black pepper); or are available also additional Molteni colors under request; or Scotch Brite stainless steel AISI 304
- Trims, knobs and pulleys: polished Brass, Brushed Brass, Polished Stainless Steel, Brushed Stainless Steel, Polished Copper, Matte Copper. Chains are only chromium.
- · Spits adjustable on the height and on the depth
- · Removable dripping-pan

Electrical model

- · Ribbed cast-iron hearth
- · Infrared heating element
- · Controlled by "on/off" switch
- · Total electric power: 5.0 kw 230 V
- Supply voltage: 230V/1N/50hz f Under request 400V/3N/50hz

External dimensions:

- W 820 x D 425 x H 800 mm
- · Weight: 90 kg

RÔTISSOIRE 640



Technical Characteristics

- Appliance to be installed on a piece of furniture (feasibility on request)
- · Stainless steel structure

- Finish: enamelled traditional Molteni Colors (Persian blue, Molteni rouge, Tarragon, Sepia, Milk, Matte milk, Black pepper, Matte black pepper); or are available also additional Molteni colors under request; or Scotch Brite stainless steel AISI 304
- Trims, knobs and pulleys: polished Brass, Brushed Brass, Polished Stainless Steel, Brushed Stainless Steel, Polished Copper, Matte Copper. Chains are only chromium.
- Spits adjustable in height and in depth
- · Removable dripping-pan

Gas model


- Ribbed cast-iron hearth with ceramic fibre wicks
- · Steel ramp burner
- Pilot light and safety thermocouple on all burners
- Supply voltage EU countries: 230V/1N/50hz United States: 115V/1N/60hz

Electrical model


- · Ribbed cast-iron hearth
- · Infrared heating element
- Controlled by "on/off" switch
- Supply voltage: 400V/3N/50hz for all models


RÔTISSOIRE 640











RO IFD + IFS

RO 2 FD + IFS

Composition	RO 1FD (Double horizontal spits) Dimensions: W 1140 or 1620 x D 640 x H 865 mm				RO IFD+IFS (Double + single horizontal spits) Dimensions: W 1140 or 1670 x D 640 x H 1200 mm			
	Type A		Туре В		Type A		Туре В	
	Gas	Electric	Gas	Electric	Gas	Electric	Gas	Electric
Number of horizontal spits	2		2		3		3	
Number of vertical spits	5		8		5		8	
Number of transmission chains	3		3		4		6	
Useful length of the hearth (mm)	730		1210		730		1210	
Heating power (kW)	12	7,5	12	7,5	20	12	33	20
Weight (kg)	180		250		210		275	

	RO 2FD (2 double + single horizontal spits) Dimensions: W 1190 or 1670 x D 640 x H 1350 mm				RO 2FD+IFS (2 double + single horizontal spits) Dimensions: W 1240 or 1720 x D 640 x H 1685 mm			
Composition	Type A		Туре В		Type A		Туре В	
	Gas	Electric	Gas	Electric	Gas	Electric	Gas	Electric
Number of horizontal spits	4		4		5		5	
Number of vertical spits	5		8		5		8	
Number of transmission chains	6		6		7		8	
Useful length of the hearth (mm)	730		1210		730		1210	
Heating power (kW)	24	15	42	25	32	20	54	33
Weight (kg)	235		300		330		400	



Discover more www.molteni.com