# MOLTENI RÔTISSOIRE

## YOUR ONE AND ONLY





# MOLTENI RÔTISSOIRE

# The Molteni Rôtissoire brings the art of theatre cooking into your kitchen.


The horizontal or vertical spits in addition to the many available accessories make the preparation of vegetables, seafood and succulent meats purely delightful. Charm and elegance is displayed through its silent motor, enamelled finish, decorative brass fittings and cast-iron hearth with glowing fibers to guarantee the most uniform cooking.

No matter where it is placed, either wall mounted, on a stand or on your work top, its versatility will turn any meal into a premier dining and grilling experience.

#### 2 Models available

Rôtissoire 425 & Rôtissoire 640 (see technical data at page 10)







### ACCESSORIES **INCLUDED** IN THE RÔTISSOIRE 425 AND 640



### VERTICAL SKEWERS SQUARE SPIT



Code 0M2690 Food Cockerel, legs, carrè, fish, vegetables Production capacity 1 Dimensions 295 x 6 mm (hxw)

Made of rod with several holes in which a round iron pin can be inserted, this type of spit is used for racks (or diced meats, small poultry, etc)

### HORIZONTAL SKEWERS FLAT SPIT



#### Code

0M2700 (Rôtissoire 425) 0M2694 (Rôtissoire 640 Type A) 0M2695 (Rôtissoire 640 Type B)

**Food** Meat, fish or vegetables skewers but the main use is for poultry

#### **Production capacity**

cod. 0M2700 - 2 chickens cod. 0M2694 - 4 chickens cod. 0M2695 - 6 chickens



**Dimensions** depending Rôtissoire model cod. 0M2700 - 700 x 20 x 8 mm (lxhxw) cod. 0M2694 -1030 x 25 x 12 mm (lxhxw) cod. 0M2695 -1510 x 25 x 12 mm (lxhxw)

**Tip**: the perfect way to serve a delicious duck is cooking it below the collection tray.

### ADDITIONAL ACCESSORIES RÔTISSOIRE 425 AND 640



### VERTICAL SKEWERS FOR SAUSAGES



Code 0M2687 Food Sausages Production capacity 4 Dimensions 325 x 130 mm (hxw)

Is made of 2 series of superimposed double rings, shaped like crosses and placed on top of each other. Each series is composed of 2 double rings with the same diameter plus another one with a much smaller diameter

### VERTICAL SKEWERS FOR EGGS



Code 0M2685 Food Eggs Production capacity 6 Dimensions 305 x 170 mm (hxw)

Is made of 3 rings with a 50 mm diameter and 3 other rings with a slightly smaller diameter 45 mm. The first ring holds the egg and the second one prevents it from slipping down.

### VERTICAL SKEWERS TURN STYLE WITH STOPPER



Code 0M2688 Food Small pieces of meat or fish, vegetables Production capacity 1 per skewer Dimensions 350 x 80 mm (hxw) One spit is made of 4 skewers

For "brochettes" 4 skewers are hung from a four-hooked turnstile

### VERTICAL SKEWERS FOR TURBOT



Code 0M2686 Food Small plan fish as turbot Production capacity 1 Dimensions 315 x 120 mm (hxw)

Made of flexible metal plates (strips) this basketlike spit is meant to hold the pieces of meat or fish which cannot be pierced


### VERTICAL SKEWERS FOR LOBSTER



Code 0M2691 Food Lobster Production capacity 1 Dimensions 330 x 130 mm (hxw)

### HORIZONTAL SKEWER **STAR**





#### Code

0M3061 - Rôtissoire 640 Type A 0M3062 - Rôtissoire 640 Type B

**Food** Big poultry pieces (i.e. American turkey, small pig) / In the small skewer: birds (pigeon, ortolan, quail)

#### Production capacity 6

Dimensions: depending on Rôtissoire model code 0M3061 - 1030 x 150 x 12 mm (lxhxw) code 0M3062 - 1510 x 150 x 12 mm (lxhxw) Not available for 425 Rôtissoire

Star spit is mounted on the flat spit and its thin skewers (spits) are used for partridges, ortolans quails, etc as well as racks (or diced meats).

### HORIZONTAL ACCESSORY FOR FISH



#### Code


0M2861 (Rôtissoire 425) 0M3063 (Rôtissoire 640 Type A) 0M3064 (Rôtissoire 640 Type B)

Food For many little fillet of fish or meat

**Production capacity** Depends on the size of the pieces

**Dimensions** depending Rôtissoire model code 0M2861 - 417 × 214 × 150 mm (lxhxw) code 0M3063 - 666 × 216 × 150 mm (lxhxw) code 0M3064 - 1146 × 216 × 150 mm (lxhxw)

### HORIZONTAL SKEWERS CLAMP SKEWER



#### Code

0M1255 (Rôtissoire 425) 0M1257 (Rôtissoire 640 Type A) 0M1258 (Rôtissoire 640 Type B)

Food For big flat pieces of fish or meat

**Production capacity** Depends on the size of the pieces

**Dimensions** depending Rôtissoire model code 0M1255 - 677 x 200 x 150 mm (lxhxw) code 0M1257 - 992 x 220 x 150 mm (lxhxw) code 0M1258 - 1472 x 220 x 150 mm (lxhxw)

### YOUR ONE AND ONLY



Selecting each individual artisan-crafted and expertly hand-finished fitting for your Molteni Rôtissoire is a question of going beyond functionality, towards a new state of understanding and appreciation.

Each Molteni tells its own story, and has its own soul. What will yours be? Select the suitable material according to your taste among the examples below for trims, knobs and chains.



### TRIMS, KNOBS, PULLEY AND CHAINS



Chains. Only chromium.





Knob

Pulley





Frames

Control knob

### **MOLTENI MATERIALS**



Polished Brass



Brushed Brass





Polished Stainless Steel Brushed Stainless Steel





Polished Copper

Matte Copper



### ENAMELLED TRADITIONAL MOLTENI COLORS



The Molteni palette has a gloss finish, a matte finish is available upon request. The enameling process is performed entirely by hand, slight uneveness is part of the beauty of artisan crafting and is a mark of the unique, bespoke character of each Molteni stove.



Scotch brite Stainless Steel AISI 304

Persian blue	Molteni rouge	Tarragon	Sepia
RAL 5003	RAL 3003	RAL 6020	RAL 1015
Milk	Matte Milk	Black pepper	Matte black pepper
RAL 9003	RAL 9003	RAL 9005	RAL 9005

### ADDITIONAL MOLTENI COLORS



RAL 6002	RAL 6003	RAL 6005	RAL 6008
RAL 6010	RAL 6012	RAL 6022	RAL 6025
RAL 7004	RAL 7005	RAL 7016	RAL 7021
RAL 7022	RAL 7033	RAL 7037	RAL 7042
RAL 7043	RAL 7044	RAL 7046	RAL 7047

RAL 8007	RAL 8011	RAL 8012	RAL 8015
RAL 8016	RAL 8017	RAL 8019	RAL 8022
RAL 8028			
RAL 9001	RAL 9010	RAL 9016	

### **RÔTISSOIRE 425**





#### Composition

1 hearth 480 x 360 mm with: 2 horizontal flat spits 2 vertical spits

#### **Technical characteristics**

- Appliance to be installed on a piece of furniture or to be fixed to the wall
- Stainless steel structure
- **Finish**: enamelled traditional Molteni Colors (Persian blue, Molteni rouge, Tarragon, Sepia, Milk, Matte milk, Black pepper, Matte black pepper); or are available also additional Molteni colors under request; or Scotch Brite stainless steel AISI 304
- Trims, knobs and pulleys: polished Brass, Brushed Brass, Polished Stainless Steel, Brushed Stainless Steel, Polished Copper, Matte Copper. Chains are only chromium.
- Spits adjustable on the height and on the depth
- Removable dripping-pan

#### Gas model

- Ribbed cast-iron hearth with ceramic fibre wicks
- Steel ramp burner
- Pilot flight and safety thermocouple on all burners
- Gas power: 7 kW
- Electric power: 0,1 kW
- Supply voltage EU countries: 230V/1N/50hz United States: 115V/1N/60hz

#### Electrical model

- Ribbed cast-iron hearth
- · Infrared heating element
- Controlled by "on/off" switch
- Total electric power: 5,0 kw 230 V
- Supply voltage: 230V/1N/50hz f Under request 400V/3N/50hz

#### External dimensions:

- W 820 x D 425 x H 800 mm
- Weight: 90 kg





### **RÔTISSOIRE 640**





#### **Technical Characteristics**

- Appliance to be installed on a piece of furniture (feasibility on request)
- Stainless steel structure

- Finish: enamelled traditional Molteni Colors (Persian blue, Molteni rouge, Tarragon, Sepia, Milk, Matte milk, Black pepper, Matte black pepper); or are available also additional Molteni colors under request; or Scotch Brite stainless steel AISI 304
- Trims, knobs and pulleys: polished Brass, Brushed Brass, Polished Stainless Steel, Brushed Stainless Steel, Polished Copper, Matte Copper. Chains are only chromium.
- Spits adjustable in height and in depth
- Removable dripping-pan

#### Gas model

- Ribbed cast-iron hearth with ceramic fibre wicks
- Steel ramp burner
- Pilot light and safety
- thermocouple on all burners • Supply voltage EU countries: 230V/1N/50hz
- United States: 115V/1N/60hz

#### Electrical model

- Ribbed cast-iron hearth
- Infrared heating element
- Controlled by "on/off" switch
- Supply voltage: 400V/3N/50hz for all models

	<b>RO 1FD</b> (1 double hearth) Dimensions: W 1140 or 1620 x D 640 x H 865 mm			<b>RO IFD+IFS</b> (1 double + 1 simple hearth) Dimensions: W 1140 or 1670 x D 640 x H 1200 mm				
Composition	Type A		Туре В		Type A		Туре В	
	Gas	Electric	Gas	Electric	Gas	Electric	Gas	Electric
Number of horizontal spits	2		2		3		3	
Number of vertical spits	5		8		5		8	
Number of transmission chains	3		3		4		6	
Useful length of the hearth (mm)	730		1210		730		1210	
Heating power (kW)	12	7,5	12	7,5	20	12	33	20
Weight (kg)	180		250		210		275	

	<b>RO 2FD</b> (2 double hearths) Dimensions: W 1190 or 1670 x D 640 x H 1350 mm			<b>RO 2FD+IFS</b> (2 double + 1 simple hearth) Dimensions: W 1240 or 1720 x D 640 x H 1685 mm				
Composition	Type A		Туре В		Type A		Туре В	
	Gas	Electric	Gas	Electric	Gas	Electric	Gas	Electric
Number of horizontal spits	4		4		5		5	
Number of vertical spits	5		8		5		8	
Number of transmission chains	6		6		7		8	
Useful length of the hearth (mm)	730		1210		730		1210	
Heating power (kW)	24	15	42	25	32	20	54	33
Weight (kg)	235		300		330		400	



Discover more www.molteni.com